

DANGER

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



CANNON®

FUNGICIDE

Contains: 62.5 g/litre difenoconazole and 450 g/litre chlorothalonil
in the form of a suspension concentrate

**A systemic and protectant fungicide for
control of various diseases in potato,
vegetable brassica and carrot seed crops**


NET CONTENTS 100ml, 500ml, 1L, 5L, 10L, 20 L, 200 L, 1000 L

©Registered Trademark of Arxada NZ Limited

Approved pursuant to the HSNO Act 1996, No: HSR007654. See www.epa.govt.nz for approval conditions.

Registered pursuant to the ACVM Act 1997, No: P007604. See www.foodsafety.govt.nz for registration conditions.

arxada

	GHS CLASSIFICATION Acute inhalation toxicity Cat. 2 Serious eye damage Cat. 1 Skin sensitisation Category 1, Carcinogenicity Cat. 2 Specific target organ toxicity (repeated exposure) Cat. 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute & chronic Cat. 1	HAZARD STATEMENT Fatal if inhaled. Causes serious eye damage May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure Hazardous to soil organisms Hazardous to terrestrial vertebrates. Very toxic to aquatic life, with long lasting effects.
<p>FIRST AID: IF exposed or concerned: Call the National Poisons Centre 0800 POISON (0800 764 766) / doctor/physician/first aider. Get medical help if you feel unwell.</p> <p>IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately. Call the National Poisons Centre / doctor/physician/</p> <p>IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.</p> <p>IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.</p> <p>PERSONAL PROTECTION: Do not breathe mist/vapours/spray. Use only outdoors or in a well ventilated area. Wear protective gloves/respiratory protection/protective clothing/eye protection/face protection. Do not eat, drink or smoke while using this product. Contaminated work clothing should not be allowed out of the workplace. Wash all exposed external body areas thoroughly after handling.</p> <p>STORAGE: Store locked up. Store in original container, tightly closed and in a dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.</p> <p>DISPOSAL: Avoid contamination of any water supply with product or empty container. Triple rinse empty container placing rinse water in the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot or crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved landfill or disposal facility.</p> <p>SPILLAGE: Wear appropriate protective clothing. Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.</p> <p>SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet available from Arxada NZ Limited or www.arxada.co.nz</p> <p>QUALIFICATION REQUIREMENTS: Persons mixing, loading, applying, or otherwise handling Cannon must meet qualification requirements set out in the EPA Hazardous Substances (Hazardous Property Controls) Notice 2017.</p>		

PLEASE READ THE ENTIRE LABEL BEFORE MIXING OR USE. SHAKE OR STIR WELL BEFORE USE.

DIRECTIONS FOR USE

It is an offence to use this product on animals

CROP	DISEASE	RATE	CRITICAL COMMENTS
POTATOES	Early & late blight	2 L/ha	Apply at the first sign of disease and repeat at 2 - 3 week intervals if conditions favour disease, with a maximum of 3 applications. Apply an approved protectant fungicide at other times. For ground rig application (boom spray) dilute in 500 - 700 litres of water per hectare. For aerial application use 50 - 200 litres of water per hectare.
CARROTS (Seed crops only)	<i>Alternaria</i> and <i>Cercospora</i> leaf spots		Apply at the first sign of disease and repeat at 2 - 3 week intervals if conditions favour disease development. Apply a maximum of 3 applications of Cannon. Apply approved protectants at other times. For ground rig application (boom spray) dilute in 500 - 700 litres of water per hectare. For aerial application use 50 - 200 litres of water per hectare. NB: For carrot seed crops only.
VEGETABLE BRASSICAS	Ring spot/downy mildew		

It is an offence for users of this product to cause residues exceeding the relevant MRL in Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIODS: 14 days. Carrots - seed crops only - 14 days. Brassicas 14 days.

MANDATORY DIRECTIONS: As Cannon contains minute particles of HCB, a compound that can be taken up by grazing stock to give unacceptable residues in meat and milk, by law the following restrictions to the use of the product must be observed: DO NOT graze treated crops. It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand Food Standards. DO NOT feed any part of a treated crop to stock. CULTIVATE treated areas thoroughly (ie. not direct drilling or other minimum tillage techniques) before sowing pastures or any animal feed crop.

MIXING: Pour the correct amount of Cannon into the partly filled tank and while agitating add the remainder of the water. Continue agitation while filling, spraying and during any stoppages.

REMEMBER: Before each use, shake container vigorously by complete inversion several times.

COMPATIBILITY: Cannon is compatible with most commonly used pesticides except some highly alkaline materials such as Bordeaux mixtures or lime sulphur.

RESISTANCE: **GROUP 3+M5 FUNGICIDE**

Cannon contains a triazole fungicide with the demethylation inhibition (DMI) mode of action plus a fungicide from the chloronitrile group with a multi-site contact mode of action. Despite containing fungicides from two mode of action groups naturally occurring strains of disease causing fungi resistant to Cannon could develop. These resistant strains may dominate when Cannon or other related group 3 fungicides are used excessively. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that may exist for particular diseases on this label. Since Cannon contains chlorothalonil, a broad spectrum protectant fungicide, further tank mixing is not required.

For further information see www.resistance.nzpps.org

NOTICE TO BUYER: The manufacturer and vendors of Cannon warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

D.O.M:
BATCH NO:



REGISTERED TO: Arxada NZ Limited, Hudson Road, New Plymouth, NZ.
Tel: 06-755-9234 Fax: 06-755-1174
EMERGENCY PHONE: 0800 CHEMCALL - 0800 243 622