

1. Identification of Substance & Company

Product

| | |
|-----------------------------|---|
| Product name | Barrachlor 720® |
| ACVM | ACVM Approval: P005947 |
| HSNO approval | HSR101015 |
| Approval description | Defendo 720SC |
| UN number | 2902 |
| Proper Shipping Name | PESTICIDE, LIQUID, TOXIC N.O.S. contains Chlorothalonil) |
| DG class | 6.1 |
| Packaging group | II |
| Hazchem code | 2X |
| Uses | Fungicide - A broad spectrum fungicide for controlling a range of fungal diseases of fruit, selected vegetables, ornamental crops and turf. |

Company Details

| | |
|-------------------|--|
| Company: | Arxada NZ Limited |
| Address: | 13-15 Hudson Rd Bell Block New Plymouth New Zealand |
| Telephone: | +64 6 755 9234 |
| Fax: | +64 6 755 1174 |
| Website: | www.arxada.co.nz |
| Email: | office-newplymouth@arxada.com |

Emergency Telephone Number: 0800CHEMCALL (0800 243 622)
International Emergency Phone: +64 4 917 9888

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR101015, Defendo 720SC). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS Classes

Acute toxicity category 2 (inhalation)
Eye damage category 1
Skin sensitiser category 1
Carcinogen category 2
STOT* repeated exposure category 1
Acute aquatic category 1
Chronic aquatic category 1
Hazardous to soil organisms,
Hazardous to terrestrial vertebrates

Hazard Statements

H330 - Fatal if inhaled.
H318 - Causes serious eye damage.
H317 - May cause an allergic skin reaction.
H341 - Suspected of causing cancer.
H372 - Causes damage to organs through prolonged or repeated exposure.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.
H423 - Harmful to the soil environment.
H432 - Toxic to terrestrial vertebrates.

*STOT – System Target Organ Toxicity

SYMBOLS

DANGER



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

| | |
|-------------------|---|
| Prevention | <p>P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe vapours/spray*. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/eye protection/face protection. P284 - Wear respiratory protection.</p> |
| Response | <p>P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P310 - Immediately call a POISON CENTRE or doctor/physician. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTRE or doctor/physician. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P308+P313 - IF exposed or concerned: Get medical advice/ attention. P391 - Collect spillage.</p> |
| Storage | <p>P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.</p> |
| Disposal | <p>P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.</p> |

3. Composition / Information on Ingredients

| Component | CAS/ Identification | Concentration |
|---|---------------------|---------------|
| Chlorothalonil | 1897-45-6 | 50-60% w/w |
| ingredients not contributing to GHS classes | mixture | balance |

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

4. First Aid

General Information

Arxada NZ Limited has an emergency contact phone number: 0800 243 622, +64 4 917 9888

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities Ready access to running water is recommended. Accessible eyewash is recommended.

Exposure

| | |
|---------------------|---|
| Swallowed | IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. |
| Skin contact | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Inhaled | IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing - avoid becoming a casualty. Immediately call a POISON CENTRE or doctor/physician. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep victim at rest until fully recovered. If breathing is laboured and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a face mask. If breathing has stopped, apply artificial respiration at once. In event of cardiac arrest, apply cardiopulmonary resuscitation (CPR) if trained. |

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

| | |
|---|---|
| Fire and explosion hazards: | There are no specific risks for fire/explosion for this chemical. It is non-flammable. |
| Suitable extinguishing substances: | Carbon dioxide, extinguishing powder, foam, fog sprays. |
| Unsuitable extinguishing substances: | Unknown. |
| Products of combustion: | Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. |
| Protective equipment: | Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection. |
| Hazchem code: | 2X |

6. Accidental Release Measures

| | |
|-----------------------------|---|
| Containment | If greater than 100L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water. |
| Emergency procedures | In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately). |
| Clean-up method | Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services. |
| Disposal | Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. |
| Precautions | Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. |

7. Storage & Handling

| | |
|-----------------|---|
| Storage | Store locked up. Store in original container only. Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10. |
| Handling | Tracking required. Use according to manufacturer's directions. Read the entire label before mixing or use. Records of use must be kept. Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols. |

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds

Ingredient

WES-TWA

WES-STEL

No ingredients listed

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to be inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. PVC-coated gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling.

Respiratory



A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a 'ENTER RESPIRATOR TYPE'. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

WES Additional Information

Not applicable

9. Physical & Chemical Properties

| | |
|---|---|
| Appearance | white liquid |
| Odour | not specified |
| Odour Threshold | no data |
| pH | 5.8-7.8 (5%) |
| Freezing/melting point | no data |
| Boiling Point | no data |
| Flashpoint | non flammable |
| Flammability | non flammable |
| Upper & lower flammable limits | no LEL or UEL |
| Vapour pressure | no data for the mixture. Chlorothalonil 5.72 x 10 ⁻⁷ mm Hg @ 25° C |
| Vapour density | no data |
| Specific gravity/density | 1.34 |
| Solubility | water dispersible |
| Partition coefficient | |
| Auto-ignition temperature | |
| Decomposition temperature | |
| Viscosity | no data |
| Particle Characteristics | no data |

10. Stability & Reactivity

| | |
|---|---|
| Stability | Stable under normal use and storage conditions. |
| Conditions to be avoided | Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames. |
| Incompatible groups | None known. |
| Substance Specific Incompatibility | There are no specific incompatibilities for this chemical. |
| Hazardous decomposition products | Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen, and under some circumstances, oxides of nitrogen. |
| Hazardous reactions | none known |

11. Toxicological Information

Summary

IF SWALLOWED: acute effect is not expected from this mixture, however see chronic effects below.

IF INHALED: toxic if inhaled. It can irritate the nose, throat and lungs causing cough, phlegm and/or tightness in the chest.

IF ON SKIN: Susceptible individuals may experience allergic skin reactions such as dermatitis. This mixture can be absorbed through the skin with possible effects to other parts of the body. Avoid all exposure to abraded or irritated skin and open wounds.

IF IN EYES: Contact with the eyes may result in eye damage (chlorothalonil).

CHRONIC EFFECTS: Oral exposure to Chlorothalonil may cause renal toxicity. Inhalation of dusts/mists of this mixture may affect the respiratory system (chlorothalonil).

Supporting Data

| | | |
|----------------|--|--|
| Acute | Oral | Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: Chlorothalonil >2000 mg/kg. |
| | Aspiration | This mixture is not an aspiration hazard. |
| Chronic | Dermal | Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg. Data considered includes: Chlorothalonil >2,000 mg/kg (rat). |
| | Inhaled | Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h. Data considered includes: Chlorothalonil 0.0925 mg/L. |
| | Eye | The mixture is considered to be corrosive to the eye, because some of the ingredients (chlorothalonil) present at >3% are considered eye corrosives. |
| | Skin | The mixture is not considered to be a skin irritant. |
| | Sensitisation | The mixture is considered to be a contact sensitizer, because chlorothalonil present in greater than 0.1% is known to be a contact sensitizer. |
| | Mutagenicity | No ingredient present at concentrations > 0.1% is considered a mutagen. |
| | Carcinogenicity | The mixture is considered to be a suspected carcinogen, because at least one of the ingredients (Chlorothalonil) present in greater than 0.1% is suspected to be a carcinogen. |
| | Reproductive / Developmental Systemic | No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation. |
| | Aggravation of existing conditions | This mixture is considered a known human organ or systemic toxicant. At least one ingredient present at concentrations >1% is considered a target organ toxicant. Oral exposure to Chlorothalonil may cause renal toxicity. Inhalation of dusts/mists of this mixture may affect the respiratory system (chlorothalonil). None known. |

12. Ecological Data

Summary

This mixture is very ecotoxic towards aquatic organisms, toxic towards terrestrial vertebrates and harmful towards soil organisms.

Supporting Data

| | |
|---------------------------------|--|
| Aquatic | Using EC ₅₀ 's for ingredients, the calculated EC ₅₀ for the mixture is > 100 mg/L. Data considered includes: Chlorothalonil 0.0076 mg/L (96hr, Oncorhynchus mykiss), 0.059 mg/l (48hr, Daphnia magna), 0.17 mg/l (72hr, green algae). |
| Bioaccumulation | No data |
| Degradability | Chlorothalonil is not readily biodegradable. Chlorothalonil: estimated to be 820. |
| Soil | Chlorothalonil is moderately persistent in soil. The half life of Chlorothalonil is > 30days. |
| Terrestrial vertebrate | See acute toxicity. |
| Terrestrial invertebrate | No evidence of toxicity towards terrestrial invertebrates |
| Biocidal | no data |

13. Disposal Considerations

| | |
|-------------------------------|--|
| Restrictions | There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents. |
| Disposal method | Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment. |
| Contaminated packaging | Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging. |

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

| | | | |
|---------------------|-------------------------|------------------------------|--|
| UN number: | 2902 | Proper shipping name: | PESTICIDE, LIQUID, TOXIC N.O.S. contains Chlorothalonil) |
| Class(es) | 6.1 | Packing group: | II |
| Precautions: | Toxic, Marine Pollutant | Hazchem code: | 2X |

IMDG

| | | | |
|---------------------|-------------------------|------------------------------|--|
| UN number: | 2902 | Proper shipping name: | PESTICIDE, LIQUID, TOXIC N.O.S. contains Chlorothalonil) |
| Class(es) | 6.1 | Packing group: | II |
| Precautions: | Toxic, Marine Pollutant | EmS | F-A, S-A |

IATA

| | | | |
|---------------------|-------------------------|------------------------------|--|
| UN number: | 2902 | Proper shipping name: | PESTICIDE, LIQUID, TOXIC N.O.S. contains Chlorothalonil) |
| Class(es) | 6.1 | Packing group: | II |
| Precautions: | Toxic, Marine Pollutant | | |

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR101015, Defendo 720SC. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

| | |
|---------------------------------|---|
| SDS | To be available within 10 minutes in workplaces storing any quantity. |
| Inventory | An inventory of all hazardous substances must be prepared and maintained. |
| Packaging | All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied |
| Labelling | Must comply with the Hazardous Substances (Labelling) Notice 2017. |
| Emergency plan | Required if > 100L is stored. |
| Certified handler | Certified handlers and supervision and training of workers required. |
| Tracking | Tracking required. Records of use must be kept. |
| Bunding & secondary containment | Required if > 100L is stored. |
| Signage | Required if > 100L is stored. |
| Location compliance certificate | Not required. |
| Flammable zone | Not required. |
| Fire extinguisher | Not required. |
| Application rate | See label for details. |

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

| | |
|------------------------|--|
| Approval Code | Approval HSR101015, Defendo 720SC Controls, EPA. www.epa.govt.nz |
| CAS Number | Unique Chemical Abstracts Service Registry Number |
| EC₅₀ | Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species) |
| EPA | Environmental Protection Authority (New Zealand) |
| GHS | Globally Harmonised System of Classification and Labelling of Chemicals, 7 th revised edition, 2017, published by the United Nations. |
| HAZCHEM Code | Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters |
| HSNO | Hazardous Substances and New Organisms (Act and Regulations) |
| IARC | International Agency for Research on Cancer |
| LEL | Lower Explosive Limit |
| LD₅₀ | Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). |
| LC₅₀ | Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats) |
| NZIoC | New Zealand Inventory of Chemicals |
| STEL | Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded |
| STOT RE | System Target Organ Toxicity – Repeated Exposure |
| STOT SE | System Target Organ Toxicity – Single Exposure |
| TWA | Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) |
| UEL | Upper Explosive Limit |
| UN Number | United Nations Number |
| WES | Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone. |

References

| | |
|--------------------------|---|
| Data | Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID). |
| Controls | EPA notices, www.epa.govt.nz , Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz |
| WES | The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz . |
| Other References: | Suppliers SDS |

Review

| | |
|------------------|----------------------------|
| Date | Reason for review |
| June 2022 | Not applicable - New SDS |
| May 2025 | Update of section 9 and 14 |

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

