Oracle™ Lonza NZ Limited

Chemwatch: **5413-47** Version No: **2.1.1.1** Safety Data Sheet according to HSNO Regulations Chemwatch Hazard Alert Code: 2

Issue Date: **11/08/2020** Print Date: **12/08/2020** L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Oracle™
Synonyms	Not Available
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains oxadiazon)
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

s Herbicide. Use according to manufacturer's directions.

Details of the supplier of the safety data sheet

Registered company name	Lonza NZ Limited	
Address	13-15 Hudson Road Bell Block New Plymouth 4312 New Zealand	
Telephone	+64 6 755 9234	
Fax	+64 6 755 1174	
Website	www.lonza.co.nz	
Email	office-newplymouth@lonza.com	

Emergency telephone number

Association / Organisation	Lonza NZ Limited
Emergency telephone numbers	0800 243 622
Other emergency telephone numbers	+64 4 917 9888 (International)

SECTION 2 Hazards identification

Classification of the substance or mixture

Classification ^[1]	Eye Irritation Category 2, Carcinogenicity Category 2, Reproductive Toxicity Category 2, Specific target organ toxicity - repeated exposure Category 2, Chronic Aquatic Hazard Category 1, Acute Terrestrial Hazard Category 1, Acute Vertebrate Hazard Category 3	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	6.4A, 6.7B, 6.8B, 6.9B, 9.1A, 9.2A, 9.3C	

Label elements

	! .

Signal word Warning

Hazard statement(s)

Hazard statement(s)		
H319	Causes serious eye irritation.	
H351	Suspected of causing cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
H421	Very toxic to the soil environment	
H433	Harmful to terrestrial vertebrates.	

Precautionary statement(s) Prevention

P201

P260	Do not breathe mist/vapours/spray.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
19666-30-9	38	oxadiazon
Not Available	balance	Ingredients determined not to be hazardous

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.
- Water spray or fog Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
Advice for firefighters			
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. 		

Oracle™

	If safe to do so, remove containers from path of fire.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). May emit acrid smoke. Mists containing combustible materials may be explosive. Combustion products include: carbon dioxide (CO2) hydrogen chloride phosgene nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Environmental hazard - contain spillage. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Environmental hazard - contain spillage. Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Absorb remaining product with sand, earth or vermiculite. Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

	······································	
Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. 	
Storage incompatibility	 Avoid reaction with oxidising agents, bases and strong reducing agents. Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. 	

Oracle™



X — Must not be stored together

- 0 May be stored together with specific preventions
- + May be stored together

SECTION 8 Exposure controls / personal protection

Control parameters

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Oracle™	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
oxadiazon	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
oxadiazon	E	≤ 0.01 mg/m³
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health	

MATERIAL DATA

```
Exposure controls
```

	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in specific circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.				
	Type of Contaminant:		Air Speed:		
	solvent, vapours, degreasing etc., evaporating from tank (in still air).		0.25-0.5 m/s (50-100 f/min)		
Appropriate engineering	aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)		0.5-1 m/s (100-200 f/min.)		
controls	direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)		1-2.5 m/s (200-500 f/min.)		
	grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).		2.5-10 m/s (500-2000 f/min.)		
	Within each range the appropriate value depends on:				
	Lower end of the range	Upper end of the range			
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents			
	2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity			
	3: Intermittent, low production.	3: High production, heavy use			
	4: Large hood or large air mass in motion	4: Small hood-local control only			
	Simple theory shows that air velocity falls rapidly with distance with the square of distance from the extraction point (in simpl accordingly, after reference to distance from the contaminatin 1-2 m/s (200-400 f/min) for extraction of solvents generated i producing performance deficits within the extraction apparatu	e away from the opening of a simple extraction pipe. Veloci e cases). Therefore the air speed at the extraction point sho g source. The air velocity at the extraction fan, for example n a tank 2 meters distant from the extraction point. Other m is, make it essential that theoretical air velocities are multipl	ty generally decreases ould be adjusted, , should be a minimum of echanical considerations, ied by factors of 10 or		

more when extraction systems are installed or used.



Page 5 of 11 Oracle™

Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]
Skin protection	See Hand protection below
Hands/feet protection	 The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a on-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: threquency and duration of contact, deve thickness and deve thickness and devet thickness conding to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent). When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 420 minutes according to EN 374, AS/NZS 2161.1.1 or national equivalent). When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 420 minutes according to EN 374, AS/NZS 2161.1.0 or national equivalent). Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use. Contaminated gloves should be replaced. As defined in ASTM F-739-96 in any application, gloves are rated as: Excellent when breakthrough time > 20 min Fair when breakthrough time > 20 min Poor when glove material degrades For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand

A(AII classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

+ Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

Oracle™

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Tan coloured liquid; dispersible in water.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	5-7	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	>90	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	>100	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

•			
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual.		
Skin Contact	ne material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal lodels). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupation etting. Ipen cuts, abraded or irritated skin should not be exposed to this material ntry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful eff xamine the skin prior to the use of the material and ensure that any external damage is suitably protected.		
Eye	Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged eye contact may cause inflammation characterised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or other transient eye damage/ulceration may occur.		
Chronic	On the basis, primarily, of animal experiments, concern has been expressed that the material may produce carcinogenic or mutagenic effects; respect of the available information, however, there presently exists inadequate data for making a satisfactory assessment. Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. Serious damage (clear functional disturbance or morphological change which may have toxicological significance) is likely to be caused by repeated or prolonged exposure. As a rule the material produces, or contains a substance which produces severe lesions. Such damage may become apparent following direct application in subchronic (90 day) toxicity studies or following sub-acute (28 day) or chronic (two-year) toxici tests. Exposure to the material may cause concerns for human fertility, generally on the basis that results in animal studies provide sufficient evidence to cause a strong suspicion of impaired fertility in the absence of toxic effects, or evidence of impaired fertility occurring at around the same do levels as other toxic effects, but which are not a secondary non-specific consequence of other toxic effects. Exposure to the material may cause concerns for humans owing to possible developmental toxic effects, generally on the basis that results in appropriate animal studies provide strong suspicion of developmental toxicity in the absence of signs of marked maternal toxicity, or at around the same dose levels as other toxic effects but which are not a secondary non-specific consequence of other toxic effects.	y y se	
Oracle™	TOXICITY IRRITATION		

Respiratory or Skin

sensitisation

×

Oracle™

	Not Available	Not Available	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
oxadiazon	dermal (rat) LD50: 5200 mg/kg ^[2]	Eye: slight *	
	Oral (rat) LD50: 3500 mg/kgl ^{2]}	Skin: non-irritant	
Legend:	1. Value obtained from Europe ECHA Registered Sub specified data extracted from RTECS - Register of To	ostances - Acute toxicity 2.* Value obta	ained from manufacturer's SDS. Unless otherwise
OXADIAZON	Toxicity Class: WHO Table 5; EPA IV NOEL: In 2 y fer mg/kg/day NOEL: 5 mg/kg/day For Protoporphyrinogen Oxidase (PPO) Inhibitors: PPO inhibition at high doses resulted in a range of ob mammalian haemoglobin, a common finding at comp- related blood parameters. Inhibition of porphyrin syntt bile coupled with cholesterol. This process results in of levels due to increased production to compensate for The developmental toxicity studies conducted on rats developmental, or teratogenic abnormalities, except a PPO herbicide accumulation The PPO inhibitor herbicides are either not readily ab metabolites are similar to photochemical degradation accumulation resulting from exposure to PPO inhibito studied in a number of species, including rats, rabbits compounds by animals includes nitroreduction, deest are excreted in urine, with small amounts excreted in amounts (0.09%) eliminated in the eggs PPO inhibition in mammals may disrupt heme synthe- parameters [decreased red blood cells (RBC), decrea mean corpuscular volume (MCV)] were observed at a observed at a slightly higher dose. These effects occ increasing in severity. Effects were also seen in the (increased spleen weight and extramedullary hematoj extramedullary haematopoiesis in the spleen) in dogs exposures, without increasing in severity. No dermal Toxicology studies with PPO inhibitors have shown th but not in other mammals such as rabbits. In these st embryo development in rats was correlated with the a haeme. However, 3000 mg/kg of S-52482 caused no embryos. The authors concluded that this difference PPO-inhibiting herbicides on mammals is species-deg are used. Protoporphyrinogen oxidase (PPO, E.C.1.3.3.4) catal IX). In the presence of light, accumulated protoporphyrin of peroxidation of the lipid can result in a chain reaction for a cell is loss of the membrane function. Protoporphyrin IX (Proto IX) is an important precursion As a result, a number of organisms are able to synthe Despite the wide range of organisms that synthesize f distinct exceptions in higher	ading trials rats and mice receiving 10 servations in mammalian toxicology stud hesis results in precursor porphyrins a deposition of pigment in the liver and of that lost with the porphyrin excretion, and rabbits indicate that the majority of it very high doses that elicit maternal t sorbed and/or are rapidly degraded by products. In mammals, there are rem rs. There is no bioaccumulation risk in , goats, sheep, cattle, and chicken. In erification, and conjugation to GSH, cy faeces and milk. In chickens, 95% of t sis, which in turn causes anemia. In th ised hematocrit (Ht), decreased mean bout the same dose level across spec urred around the same dose level fror liver (increased weight, centrilobular fa poiesis) in rats, and in both these orga These effects also occurred around 1 toxicity was seen at the limit dose in a at certain chemicals cause embryo let udies it was shown that the effect of 30 iccumulation of protoporphyrin IX (Pro accumulation of Proto IX in rabbit en was due to the relative sensitivity of F bendent. The mammalian toxicity of th yzes the oxygen-dependent oxidation can generate highly reactive oxygen sig and cause fragmentation and destruct to biologically essential prosthetic gro size this tetrapyrrole from basic precu- protoporphyrin IX the process is largel merely blocking the production of hem e cytoplasm and will be slowly oxidize tion can have dire consequences: In the es lipid peroxidation and cell death. ant disorder caused by the deficiency of milar inciting factors as acute intermitt ry coproporphyria, may be associated as seen in porphyria cutanea tarda). P is within variegate porphyria (VP) patie tive oxygen species within skin fibroble he nature of PPO causing the disease before activation. PPO inhibitors coul important medical application of PPO to the appropriate wavelength to activate to bues of PPO inhibitors for PDT is <i>inchemicals Handbook</i> , 10th Edition,	mg/kg diet showed no ill-effects. * ADI: 0.05 tudies. As oxidised porphyrin is a key component of les was a slight reduction in haemoglobin levels and ccumulating in the liver where they are excreted in the ther tissues, as well as alterations in cholesterol of the compounds did not show any reproductive, oxicity. The developmental toxicity correlates with , metabolism and/or excreted. The mammalian tarkable species differences in the levels of porphyrin animals. Metabolism of PPO inhibitors has been general, the metabolic degradation of these (steine, and carbohydrates. Most of the metabolites the metabolites are eliminated in excreta, with small ne submitted studies, decreased hematological corpuscular haemoglobin concentration (MCHC), and izs, with the exception of the dog, where effects were in short-through long-term exposures, without atty change, lymphoid infitrate) in mice, the spleen ins (increased iron storage in the liver and the same dose level from short- through long-term 128-day dermal toxicity study in rats hality,teratogenicity and growth retardation in rats 0 mg /kg of S-52482, a phenylimide PPO inhibitor, on to IX) in the embryo with a concomitant loss of nbryos and there was no adverse effect on the PPO in rats versus rabbits. Thus, the effects of ese herbicides appears to be minimal at the rates they of protoporphyrinogen IX to protoporphyrin IX (Proto pecies and induce membrane lipid peroxidation. The ion of the lipid. The consequence of lipid peroxidation oups such as heme, cytochrome c, and chlorophylls. resors such as glycine and succin/l CoA, or glutamate. y conserved from bacteria to mammals with a few e and chlorophyll. When the enzyme is inhibited, the d by O2 in the mitochondrion and chloroplast to the presence of light, the photosensitive e and chlorophyll. When the enzyme is inhibited, the d by O2 in the mitochondrion and chloroplast to the prosorphyrin can lead to reactive singlet oxygen nits is thought to be caused by photoxidation of ats
Acute Toxicity	A	Carcinogenicity	▼
Skin Irritation/Corrosion	<u> </u>	Reproductivity	×
Schous Lye Damage/Initiation	•	o i o i - olingie Exposule	**

STOT - Repeated Exposure

~

Continued...



Legend:

🗙 – Data either not available or does not fill the criteria for classification - Data available to make classification

SECTION 12 Ecological information

Toxicity

Oracle™	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
oxadiazon	LC50	96	Fish	0.079mg/L	3
	EC50	48	Crustacea	0.53mg/L	4
	EC50	72	Algae or other aquatic plants	0.056mg/L	4
	BCF	1152	Algae or other aquatic plants	0.0266mg/L	4
	NOEC	72	Algae or other aquatic plants	0.007mg/L	4

V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
oxadiazon	HIGH	HIGH
Bioaccumulative potential		

Ingredient	Bioaccumulation
oxadiazon	MEDIUM (BCF = 898)
Mobility in soil	

Ingredient	Mobility
oxadiazon	LOW (KOC = 3500)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. D ON T allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. It may be necessary to collect all wash water for reatement before disposal. More in doubt contact the responsible authority. For small quantities of pesticide: Puncture or shred and bury empty containers in local authorised landfill D NOT surt be empty containers in local authorised landfill D ON To surt be empty containers in local authorised landfill D ON To surt be empty containers in local authorised landfill D ON To surt be empty containers o

Ensure that the hazardous substance is disposed in accordance with the Hazardous Substances (Disposal) Notice 2017

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package. The package must be disposed according to the manufacturer's directions taking into account the material it is made of. Packages which hazardous content have been appropriately treated and removed may be recycled.

The hazardous substance must only be disposed if it has been treated by a method that changed the characteristics or composition of the substance and it is no longer hazardous. Only dispose to the environment if a tolerable exposure limit has been set for the substance.

Only deposit the hazardous substance into or onto a landfill or sewage facility or incinerator, where the hazardous substance can be handled and treated appropriately.

SECTION 14 Transport information

Labels Required

Marine Pollutant	
HAZCHEM	•3Z

Land transport (UN)

UN number	3082	
UN proper shipping name	ENVIRONMENTALLY	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains oxadiazon)
Transport hazard class(es)	Class 9 Subrisk Not App	icable
Packing group	Ш	
Environmental hazard	Environmentally hazar	dous
Special precautions for user	Special provisions	274; 331; 335; 375 5 L

Air transport (ICAO-IATA / DGR)

UN number	3082			
UN proper shipping name	Environmentally hazardo	Environmentally hazardous substance, liquid, n.o.s. * (contains oxadiazon)		
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	9 Not Applicable 9L		
Packing group	Ш			
Environmental hazard	Environmentally hazardo	DUS		
Special precautions for user	Special provisions Cargo Only Packing In Cargo Only Maximum Passenger and Cargo Passenger and Cargo Passenger and Cargo Passenger and Cargo	Instructions Qty / Pack Packing Instructions Maximum Qty / Pack Limited Quantity Packing Instructions Limited Maximum Qty / Pack	A97 A158 A197 964 450 L 964 450 L Y964 30 kg G	

Sea transport (IMDG-Code / GGVSee)

UN number	3082	
UN proper shipping name	ENVIRONMENTALL	Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains oxadiazon)
Transport hazard class(es)	IMDG Class IMDG Subrisk	9 Not Applicable
Packing group	Ш	
Environmental hazard	Marine Pollutant	
Special precautions for user	EMS Number Special provisions Limited Quantities	F-A, S-F 274 335 969 5 L

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR100445	Not Available

of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

oxadiazon is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantity (Closed Containers)	Quantity (Open Containers)	
Not Applicable	Not Applicable	Not Applicable	

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
9.1A, 9.2A, 9.3A, and 9.4A	Any quantity

Refer Group Standards for further information

Tracking Requirements

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC	No (oxadiazon)
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	No (oxadiazon)
Canada - NDSL	No (oxadiazon)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	No (oxadiazon)
USA - TSCA	No (oxadiazon)
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - ARIPS	No (oxadiazon)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 Other information

Revision Date	11/08/2020
Initial Date	11/08/2020

SDS Version Summary

Version	Issue Date	Sections Updated
2.1.1.1	11/08/2020	Ingredients, Physical Properties

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or

Chemwatch: 5413-47	Page 11 of 11		Issue Date: 11/08/2020
Version No: 2.1.1.1	Oracle™	<u> </u>	Print Date: 12/08/2020

other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit.o IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.