

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

***burnout***<sup>®</sup>

## **ADJUVANT**

**Contains:** 36g/litre oxyfluorfen plus activators and penetrants in the form of a non-volatile emulsifiable concentrate

**For use with glyphosate herbicides to give improved rainfastness and rapid burnout**

PLEASE READ THE ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USE.



**HSNO classifications: 6.1E (Asp. Tox.), 6.3A, 6.7B, 6.9B, 8.3A, 9.1B, 9.2A**

**TOXIC, CORROSIVE:** May be fatal if swallowed and enters airways. Causes skin irritation. Suspected of causing cancer. May cause damage to organs. Causes severe skin burns and eye damage.

**FIRST AID:** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. If exposed or concerned: contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor. IF ON SKIN (or hair): IF ON SKIN: Wash with plenty of soap and water. Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**PERSONAL PROTECTION:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

**ECOTOXIC:** Toxic to aquatic organisms with long-lasting effects. Avoid contamination of any water supply with product or empty container. Very toxic to the soil environment.

**STORAGE:** Store locked up. Store in original container, tightly closed and in a dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

**DISPOSAL:** Triple rinse empty container placing rinse water in the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot or crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved landfill or disposal facility.

**SPILLAGE:** Wear appropriate protective clothing. Exclude all bystanders from the vicinity of the spill, and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

**SAFETY DATA SHEET:** Additional information is listed in the Safety Data Sheet available from Lonza NZ Limited or [www.lonza.co.nz](http://www.lonza.co.nz)

**QUALIFICATION REQUIREMENTS:** Persons mixing, loading, applying, or otherwise handling Saxon must meet qualification requirements set out in the EPA Hazardous Substances (Hazardous Property Controls) Notice 2017.

**MODE OF ACTION:** Burnout assists the wetting and penetration of the companion herbicide through the waxy cuticle of the weed.

**GENERAL INFORMATION:** When used as directed with the recommended label rates of glyphosate herbicides initial brownout on most weeds and stems is within 3 - 7 days of application. Some weeds and certain grasses may not show an initial scorch but earlier kill is generally obtained. Not recommended for use with glyphosate to control brushweeds, bracken, brambles and other perennial weeds. Most effective on small activity growing weeds and not recommended for use on woody weeds or old mature plants.

**CAUTION:** Do not use with selective herbicides unless recommended on the label, as selectivity may be reduced or lost. Do not use with fungicides, insecticides or plant growth regulators as damage to the plant will occur.

**DIRECTIONS FOR USE**

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

SITUATION	RATES			CRITICAL COMMENTS
	Boom	Handgun	Knapsack	
For use with glyphosate based herbicides Pre-planting or pre-crop emergent use in vegetables such as broccoli, cabbage, cauliflower but not onions. and pre-crop emergent use in potatoes.	500 ml/ha	-	1.0 ml/litre	Use with recommended label rates of glyphosate. Do not exceed 500 ml/ha. Do not use pre-plant as well as pre-emergent to any one crop. WARNING: Testing for crop safety must be carried out before any large scale use is carried out. Do not use pre-plant or pre-emergent to onions as too many factors affect selectivity for consistent crop safety.
All other uses for glyphosate such as orchard weed strips, conservation tillage and total vegetation control. Do not use pre-harvest in cereal crops.	500 ml - 1 litre/ha	50 - 100 ml/100 litres	1.0 ml/litre	For use with recommended label rates of glyphosate to achieve faster chemical effect, improve rainfastness and enhance efficacy. Use the higher rate on large, older weeds. Not recommended as a replacement for organo-silicone additives as stated on glyphosate labels for control of brushweeds, bracken, brambles and other perennial weeds.

**RAINFALL:** The rapid penetration of Burnout improves rainfastness without affecting the translocation of the herbicide. The rainfree period for glyphosate will be reduced to 30 - 60 minutes.

**COMPATIBILITY:** Use only with products recommended.

**APPLICATION:** Follow instructions for companion herbicide.

**NOTICE TO BUYER:** The manufacturer and vendors of Burnout warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

**REGISTERED TO:** Lonza NZ Limited, Hudson Road, New Plymouth, NZ.  
Tel: 06-755-9234 Fax: 06-755-1174  
**EMERGENCY PHONE: 0800 CHEMCALL 0800 243 622**

D.O.M:  
BATCH NO:

