DANGER KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

burnout®

ADJUVANT

Contains: 36 g/litre oxyfluorfen plus activators and penetrants in the form of a non-volatile emulsifiable concentrate

For use with glyphosate herbicides to give improved rainfastness and rapid burnout



GHS CLASSIFICATION	HAZARD STATEMENT
Eye damage Cat. 1, Skin Irritation Cat. 2	Causes serious eye damage Causes skin irritation
Aspiration Hazard Cat. 1 Carcinogenicity Cat. 2 Specific target organ toxicity Cat. 3. Specific target organ toxicity Cat. 2.	May be fatal if swallowed and enters airways Suspected of causing cancer. May cause drowsiness or dizziness, May cause damage to organs through prolonged or repeated exposure
Hazardous to the aquatic environment acute & chronic Cat. 2. Hazardous to soil organisms,	Toxic to aquatic life, with long lasting effects. Hazardous to soil organisms

FIRST AID: IF exposed or concerned: Get medical help immediately. Call the National Poisons Centre 0800 POISON (0800 764 766) / doctor / physician / first aider. For advice contact the National Poisons centre.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get emergency medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical help. Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Get emergency medical help immediately. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.

PERSONAL PROTECTION: Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke while using this product. Contaminated work clothing should not be allowed out of the workplace. Wash all exposed external body areas thoroughly after handling. Do not touch eyes. Use only outdoors or in a well ventilated area.

STORAGE: Store locked up. Store in original container, tightly closed and in a dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

DISPOSAL: Avoid contamination of any water supply with product or empty container. Triple rinse empty container placing rinse water in the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot or crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved landfill or disposal facility.

SPILLAGE: Wear appropriate protective clothing. Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet available from Arxada NZ Limited or www.arxada.co.nz

QUALIFICATION REQUIREMENTS: Persons mixing, loading, applying, or otherwise handling Burnout must meet qualification requirements set out in the EPA Hazardous Substances (Hazardous Property Controls) Notice 2017.

PLEASE READ THE ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USE.

DIRECTIONS FOR USE

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

SITUATION		RATES		CRITICAL COMMENTS
	Boom	Handgun	Knapsack	Line with recommended label rates of alyphasets. Do not exceed 500 ml/bs. D
herbicides Pre-planting or pre-crop emergent use in vegetables such as broccoli, cabbage, cauliflower but not onions. and pre-crop emergent use in potatoes.	500 ml/ha	-	1.0 ml/litre	
All other uses for glyphosate such as orchard weed strips, conservation tillage and total vegetation control. Do not use pre-harvest in cereal crops.	500 ml - 1 litre/ha	50 - 100 ml/100 litres	1.0 ml/litre	For use with recommended label rates of glyphosate to achieve faster chemical effect, improve rainfastness and enhance efficacy. Use the higher rate on large, older weeds. Not recommended as a replacement for organo-silicone additives as stated on glyphosate labels for control of brushweeds, bracken, brambles and other perennial weeds.

RAINFALL: The rapid penetration of Burnout improves rainfastness without affecting the translocation of the herbicide. The rainfree period for glyphosate will be reduced to 30 - 60 minutes.

COMPATIBILITY: Use only with products recommended.

APPLICATION: Follow instructions for companion herbicide.

MODE OF ACTION: Burnout assists the wetting and penetration of the companion herbicide through the waxy cuticle of the weed.

GENERAL INFORMATION: When used as directed with the recommended label rates of glyphosate herbicides initial brownout on most weeds and stems is within 3 - 7 days of application. Some weeds and certain grasses may not show an initial scorch but earlier kill is generally obtained. Not recommended for use with glyphosate to control brushweeds, bracken, brambles and other perennial weeds. Most effective on small activity growing weeds and not recommended for use on woody weeds or old mature plants.

CAUTION: Do not use with selective herbicides unless recommended on the label, as selectivity may be reduced or lost. Do not use with fungicides, insecticides or plant growth regulators as damage to the plant will occur.

NOTICE TO BUYER: The manufacturer and vendors of Burnout warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

REGISTERED TO: Arxada NZ Limited, Hudson Road, New Plymouth, NZ. Tel: 06-755-9234 Fax: 06-755-1174 EMERGENCY PHONE: 0800 CHEMCALL 0800 243 622

