


DANGER
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TARATEK[®] 5F

FUNGICIDE

Contains: 250 g/litre chlorothalonil and 250 g/litre thiophanate-methyl
in the form of a suspension concentrate

To control a range of diseases in turf

	GHS CLASSIFICATION	HAZARD STATEMENT
	<p>Acute inhalation toxicity Cat. 2 Serious Eye Damage Cat. 1, Skin Sensitisation Cat. 1,</p> <p>Carcinogenicity Cat. 2 Germ cell Mutagenicity Cat. 2 Specific target organ toxicity (repeated exposure) Cat. 1,</p> <p>Hazardous to the aquatic environment acute & chronic Cat. 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates,</p>	<p>Fatal if inhaled. Causes serious eye damage May cause an allergic skin reaction</p> <p>Suspected of causing cancer. Suspected of causing genetic defects Causes damage to organs through prolonged or repeated exposure</p> <p>Very toxic to aquatic life, with long lasting effects. Hazardous to soil organisms Hazardous to terrestrial vertebrates.</p>

FIRST AID: IF EXPOSED OR CONCERNED: Call the National Poisons Centre 0800 POISON (0800 764 766) / doctor / physician / first aider.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

PERSONAL PROTECTION: Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/respiratory protection. Do not eat, drink or smoke while using this product. Use only outdoors in a well ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wash all exposed external body areas thoroughly after handling. Do not touch eyes.

STORAGE: Store locked up. Store in original container, tightly closed and in a dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

DISPOSAL: Avoid contamination of any water supply with product or empty container. Triple rinse empty container placing rinse water in the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot or crush and bury in an approved landfill. Dispose of product only by using according to this label, or at an approved landfill or disposal facility.

SPILLAGE: Wear appropriate protective clothing. Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet available from Arxada NZ Limited or www.arxada.co.nz

QUALIFICATION REQUIREMENTS: Persons mixing, loading, applying, or otherwise handling Taratek 5F must meet qualification requirements set out in the EPA Hazardous Substances (Hazardous Property Controls) Notice 2017.

PLEASE READ ENTIRE LABEL BEFORE MIXING OR APPLYING. SHAKE OR STIR WELL BEFORE USE.

DIRECTIONS FOR USE:

The supply and use of this product is restricted to only workplaces under the control and management of a PCBU, where a COMPETENT or AUTHORISED PERSON will accept responsibility for the product.

It is an offence to use this product on animals.

CROP	DISEASE	RATE	CRITICAL COMMENTS
TURF & LAWNS	Anthracnose, brown patch, dollar spot, fusarium patch, rhizoctonia, leaf spot, red thread	100 - 150 ml in 10 litres of water per 100 square metres.	Apply Taratek 5F in sufficient water for complete foliage and thatch coverage. Apply at 10 - 14 day intervals as necessary after fungi first appear. Application during the heat of the day should be avoided. Taratek 5F should be applied in late afternoon to avoid burning to sensitive turf areas. Light irrigation following application will assist in thatch penetration. DO NOT mow for 24 hours after application.
COTULA GREENS	Brown patch, golden bracelet disease, sclerotinia patch	Use the above rates and a minimum of 1.3 litres per 36 x 36 metre green.	

REMEMBER: Before each use, shake or stir the container.

MIXING: Pour the correct amount of Taratek 5F into the partly filled tank and while agitating add the remainder of the water.

COMPATIBILITY: Taratek 5F is compatible with most common pesticides except some highly alkaline materials such as Bordeaux mixtures and other copper fungicides.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

RESISTANCE MANAGEMENT: **GROUP 1+M5 FUNGICIDE** Taratek 5F contains a benzimidazole fungicide that inhibits β -tubuline assembly in mitosis plus a chloronitrile fungicide with a multi-site contact of mode of action. Naturally occurring strains of some disease causing fungi resistant to group 1 fungicides are known to exist and others could develop. These resistant strains may dominate when this and other similar fungicides are used excessively. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that may exist for particular diseases on this label. For further information see www.resistance.nzpps.org

NOTICE TO BUYER: The manufacturers and vendors of Taratek 5F warrant the formulation to contain the specified active ingredients within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material be used in accordance with the directions or not.

D.O.M:
BATCH NO:



REGISTERED TO: Arxada NZ Limited, Hudson Road, New Plymouth, NZ.
Tel: 06-755-9234 Fax: 06-755-1174
EMERGENCY PHONE: 0800 CHEMCALL 0800 243 622