

1. Identification

Product

Product name	Jive®
Product code	TNL 3954
ACVM	P009986
HSNO approval	HSR100112
UN number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (FENOXA PROP-P-ETHYL)
DG class	9
Packaging group	III
Hazchem code	3Z
Uses	Herbicide

Company Details

Company:	Arxada NZ Limited
Address:	13-15 Hudson Rd Bell Block New Plymouth New Zealand
Telephone:	+64 6 755 9234
Fax:	+64 6 755 1174
Website:	www.arxada.co.nz
Email:	office-newplymouth@arxada.com

Emergency Telephone Number: 0800CHEMCALL (0800 243 622)

International Emergency Phone: +64 4 917 9888

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR100112). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS Classes

Skin sensitizer category 1
STOT* repeated exposure category 2
Aspiration category 1
Carcinogen category 2
Acute aquatic category 1
Chronic aquatic category 1
hazardous to soil organisms

Hazard Statements

H317 - May cause an allergic skin reaction.
H373 - May cause damage to organs through prolonged or repeated exposure.
H304 - May be fatal if swallowed and enters airways.
H351 - Suspected of causing cancer.
H400 - Very toxic to aquatic life.
H410 - Very toxic to aquatic life with long lasting effects.
H423 - Harmful to the soil environment.

*STOT – System Target Organ Toxicity

SYMBOLS

DANGER



Other classifications

Contains Fenoxaprop-p-ethyl and Cloquintocet-mexyl. May produce an allergic skin reaction.

Precautionary Statements

Prevention	P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray*. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/eye protection/face protection.
Response	P308+P313 - IF exposed or concerned: Get medical advice/ attention. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse. P101 - If medical advice is needed, have product container or label at hand. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P331 - Do NOT induce vomiting. P391 - Collect spillage.
Storage	P405 - Store locked up.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Fenoxaprop-p-ethyl	71283-80-2	7.57%
Cloquintocet-mexyl	99607-70-2	3.71%
Solvent naphtha (petroleum), heavy arom. May include: 1-Methylnaphthalene 2-Methylnaphthalene Naphthalene	64742-94-5 90-12-0 91-57-6 91-20-3	40.98%
Ingredients not contributing to GHS classes	mixture	balance

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

4. First Aid

General Information

Arxada NZ Limited has an emergency contact phone number: 0800 243 622, +64 4 917 9888

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities Ready access to running water is recommended. Accessible eyewash is recommended.

Exposure

Swallowed	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Rinse mouth. If conscious, give plenty of water to drink. DO NOT INDUCE vomiting. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.
Inhaled	Generally, inhalation of spray is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically.

5. Firefighting Measures

Fire and explosion hazards:	There are no specific risks for fire/explosion for this chemical. It is non-flammable.
Suitable extinguishing substances:	Carbon dioxide, extinguishing powder, foam.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment:	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	3Z

6. Accidental Release Measures

Containment	If greater than 100L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
Emergency procedures	In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
Clean-up method	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Precautions	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

7. Handling and Storage

Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10. Containers (and outer packaging) must bear the prescribed labelling, including the Hazchem code, UN number, ecotoxicity warning and name of contents. Store locked up.
Handling	Store in accordance with NZS 8409 Management of Agrichemicals. Read entire label before use. Shake well before use. Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Fenoxaprop-p-ethyl	data unavailable	data unavailable
	Cloquintocet-mexyl	data unavailable	data unavailable
	Solvent naphtha (petroleum), heavy arom.	data unavailable	data unavailable
	Naphthalene	0.5ppm, 2.6mg/m ³ (carc 2, skin)	2ppm, 10mg/m ³ (carc 2, skin)

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes

Protective eyewear is not normally necessary when using this product. However, it always prudent to use protective eyewear if splashes are likely.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

Respiratory

WES Additional Information

Not applicable

9. Physical & Chemical Properties

Appearance	liquid
Odour	not specified
Odour Threshold	no data
pH	not specified
Freezing/melting point	no data
Boiling Point	no data
Flashpoint	>93°C
Flammability	not flammable
Upper & lower flammable limits	no data
Vapour pressure	no data
Vapour density	no data
Specific gravity/density	0.97g/cm ³
Solubility	partly soluble in water
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data
Particle Characteristics	no data

10. Stability & Reactivity

Stability	Stable
Conditions to be avoided	Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames. Keep out of sunlight.
Incompatible groups	Strong oxidisers, strong acids and bases
Substance Specific Incompatibility	none known
Hazardous decomposition products	Oxides of carbon, oxides of nitrogen, HCl gas
Hazardous reactions	none known

11. Toxicological Information

Summary

IF SWALLOWED: This substance is an aspiration hazard, after vomiting of swallowed product, aspiration into the lungs is possible, which may induce chemical pneumonia.

IF ON SKIN: sensitised individual may experience an allergic skin reaction (Fenoxaprop-p-ethyl, Cloquintocet-mexyl). Direct contact may dry out the skin causing cracking.

IF INHALED: high concentrations may cause dizziness and drowsiness. High concentrations may cause central nervous system depression, headaches, dizziness, tiredness and incoordination and in extreme cases loss of consciousness.

CHRONIC TOXICITY: may cause damage to organs through prolonged or repeated exposure.

Supporting Data

Acute	Oral	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: Fenoxaprop-p-ethyl no data, Cloquintocet-mexyl >2000mg/kg (rat), Solvent naphtha (petroleum), heavy arom. >7000mg/kg.
	Dermal	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg. Data considered includes: Fenoxaprop-p-ethyl no data, Cloquintocet-mexyl >2000mg/kg (rat), Solvent naphtha (petroleum), heavy arom. >3160mg/kg (rabbit).
	Inhaled	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h. Data considered includes: Fenoxaprop-p-ethyl no data, Cloquintocet-mexyl 0.935 mg/l, Solvent naphtha (petroleum), heavy arom. no data.
	Eye	The mixture is not considered to be an eye irritant.
	Skin	The mixture is not considered to be a skin irritant.
Chronic	Sensitisation	The mixture is considered to be a contact sensitizer, because at least one of the ingredients (Fenoxaprop-p-ethyl, Cloquintocet-mexyl) present in greater than 0.1% is known to be a contact sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	The solvent contains traces of naphthalene which is a suspected human carcinogen.
	Reproductive / Developmental Systemic	No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
	Aggravation of existing conditions	The mixture is considered to be a suspected target organ toxicant, because at least one of the ingredients (Fenoxaprop-p-ethyl, Cloquintocet-mexyl) present in greater than 1% is suspected to be a target organ toxicant (liver and the renal system). None known.

12. Ecological Information

Summary

This mixture is considered to be very toxic towards aquatic organisms with long lasting effects and hazardous to soil organisms. Avoid contamination of any water supply with this product or empty container. This mixture is a selective herbicide and is very toxic to some plant species (certain plants may be killed or damaged from root uptake of this product).

Supporting Data

Aquatic	Using EC ₅₀ 's for ingredients, the calculated EC ₅₀ for the mixture is > 100 mg/L. Data considered includes: Fenoxaprop-p-ethyl 0.036mg/L (fish), 0.46mg/L (96h, rainbow trout), 0.51mg/L (72h, Desmodesmus subspicatus, green algae) Cloquintocet-mexyl LC ₅₀ 14-100 mg/L (4 days, fish), 9.7-100mg/L (48h, aquatic invertebrates), EC ₅₀ 1.4mg/L (freshwater algae) Solvent naphtha (petroleum), heavy arom. Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment
Bioaccumulation	No data
Degradability	No data
Soil	EPA has classified the mixture as ecotoxic to the soil environment.
Terrestrial vertebrate	EPA has not classified the mixture as hazardous to terrestrial vertebrates.
Terrestrial invertebrate	EPA has not classified the mixture as ecotoxic to terrestrial invertebrates.
Biocidal	no data

13. Disposal Considerations

Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Triple rinse empty container placing rinse water in the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot or crush and bury in an approved landfill.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2020

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (FENOXA PROP-P-ETHYL)
Class(es)	9	Packing group:	III
Precautions:	MARINE POLLUTANT	Hazchem code:	3Z
IMDG:			
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (FENOXA PROP-P-ETHYL)
Class(es)	9	Packing group:	III
Precautions:	MARINE POLLUTANT	EMS Code	F-A, S-F
IATA:			
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (FENOXA PROP-P-ETHYL)
Class(es)	9	Packing group:	III
Precautions:	MARINE POLLUTANT	ERG Code	9L

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR100112. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 100L is stored.
Certified handler	Required (Certified handlers and supervision and training of workers)
Tracking	Not required.
Bunding & secondary containment	Required if > 100L is stored.
Signage	Required if > 100L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

ACVM approval: P009986

16. Other Information

Abbreviations

Approval Code	Approval HSR100112, Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
EC₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 th revised edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

References

Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz , Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz .
Other References:	EU ECHA, ingredients SDS's

Review

Date	Reason for review
March 2022	Draft version
September 2026	review

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

